

# Data Sheet

## Fujitsu Display L22T-5 LED

All-round display: 54.6 cm (21.5-inch) widescreen  
Ease of use

The Fujitsu Display L22T-5 LED comes in a 16:9 format with a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get Full HD resolution with reduced office desk space. It is easy-to-use and once it is installed you never have to adjust it again - proven Fujitsu quality.

Environment-friendly LED technology with unique, high efficient energy saving solutions like ECO operation mode and ECO standby  
1920 x 1080 high resolution for pin sharp pictures with modern 16:9 format applications

Proven eco-friendliness with TCO Display 5.2, ENERGY STAR® 6.0

Due to integrated speakers no further accessories needed

Prepared for backpack solution with FUTRO thin clients and ESPRIMO Q Mini PC



# Technical details

## Special features

LED backlight panel, Eco button for Eco mode and 3-coloured Eco status LED

## Stand details

Stand removable

Tilt angle -4° / +18°

## Picture performance

Panel and backlit TN/LED

Screen Surface Treatment Anti-glare, 3H hard coating

Contrast - typical 1,000:1

Contrast - advanced 5,000,000:1

Response time typical 5 ms

Viewing angle (h/v) - typical 170°/160°

Color performance 16.7 million colors (Hi-FRC)

Brightness - typical 250 cd/m<sup>2</sup>

## Size and resolution

Aspect ratio 16:9

Diagonal Size 54.6 cm (21.5-inch)

Resolution (native) 1920 x 1080 pixel (recommended)

Resolution (interpolated) 1680 x 1050 pixel, 1600 x 900 pixel, 1440 x 900 pixel, 1280 x 1024 pixel, 1024 x 768 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel

Video modes 1080i/p, 720i/p, 576i/p, 480i/p

Picture size 476.6 mm x 268.1 mm

Pixel Pitch 0.248 mm

## Frequencies

Horizontal 30 kHz to 82 kHz

Horizontal analog 165 Mhz

Horizontal digital 165 Mhz

Vertical 56 - 76 Hz

## Connectivity

DVI 1 x DVI (HDCP)

VGA/D-SUB 1 x D-SUB

Audio signal input 3.5 mm stereo phone jack

Audio sound output 2 x 2.0 W

## OSD Languages and setting options

Languages Turkish, Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish

Brightness / Contrast Brightness, Contrast, Black level, Auto level

Color 6500K, 7500K, 9300K, Native, sRGB, Custom Color

Image adjust H-Position, V-Position, Sharpness, Clock, Phase

Audio Mute, Volume

Information Resolution/mode, Signal input

Setup Input select, Language, DDC-CI, OSD-Timeout, Factory recall

## Power consumption (typical, w/o sound)

Soft switch off 0.37 W

Power save mode 0.39 W

Operating with EPA settings 18.9 W

Operating maximum brightness 22.7 W

Power supply display integrated

## Electrical values

Rated voltage range 100 V - 240 V (AC Input)

Rated frequency range	50 Hz - 60 Hz
Protection class	1
<b>Compliance</b>	
Europe	CE, TCO Displays 5.2
Russia	GOST
USA/Canada	FCC Class B, cUL
Saudi Arabia	SASO
Global	ENERGY STAR® 6.0, ISO9241-307 (Pixel fault class I), EPEAT® Silver (dedicated regions)
Compliance link	<a href="http://globalsp.ts.fujitsu.com/sites/certificates">http://globalsp.ts.fujitsu.com/sites/certificates</a>
<b>Quality and Reliability</b>	
MTBF (demonstrated)	50.000 h
<b>Dimensions / Weight / Environmental</b>	
Dimension without stand (W x D x H)	505.6 x 50.9 x 312.2 mm
Dimension with stand (W x D x H)	505.6 x 179.8 x 365.8 mm
Weight (packed)	4.7 kg
Weight (unpacked)	3.5 kg
Operating ambient temperature	5 - 35 °C
<b>Miscellaneous</b>	
Miscellaneous	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock
Color	Piano black
<b>Package content</b>	
Display delivered accessories	D-SUB Data cable 1.8 m , Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, Safety booklet, Warranty booklet, Utility CD, Quickstart flyer
<b>Order information</b>	
Order Code	S26361-K1481-V169
EAN Code	4053026429207
<b>Warranty</b>	
Standard Warranty	3 years (depending on country)
Service level	Collect & Return Service (depending on country)
Warranty Terms & Conditions	<a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>
Spare Parts availability	5 years
Service Weblink	<a href="http://www.fujitsu.com/fts/services/support">http://www.fujitsu.com/fts/services/support</a>

# More information

## Fujitsu OPTIMIZATION Services

In addition to Fujitsu Display L22T-5 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu Display L22T-5 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
<http://www.fujitsu.com/fts/displays>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



## Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)

Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

FUJITSU Technology Solutions  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2013-11-28 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions